



Electrical | Lighting | Automation



The firm SunPower is the Sister firm of Prakash Corporation, situated in Ahmedabad, Gujarat. We are reliable and authenticated Suppliers / solutions provider for Lightings (Residential as well as Commercial), Sensors and Home Automation

The offered products are procured from Certified vendors of the market, who use the finest quality of raw materials and latest advanced technology for the manufacturing of products. We have an immaculate reputation as Supplier / Dealers of Lighting products in the market.

We take up a complete project of Lighting's supply for Houses, Commercial sites, Hotels, Restaurants, Hospitals, Schools, Trusts, Architect's and many more.

Our main aim is to achieve Client's satisfaction and provide satisfactory after sale services and this philosophy has helped us to grow our network and secure numerous long term business relationships with clients.

Going forward, we aim to adapt ourselves to the new techniques of doing business in the field of Suppliers / Dealers and continue to achieve excellence for the same.

Under the visionary guidance of Mr. Rahil B Desai, the firm has occupied a formidable position in this competitive market. With their vision & hard work they have expanded the firm with 5 different outlets and various departments in commercial Lighting & Profile lighting with home automation concept.

“We believe in supplying products at best price”

SLIM PANEL

6500K 5000K 4000K 3000K



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Aluminium
- **SHAPE** - Round/Square
- **BEAMING ANGLE** - 120°
- **LED CHIP**- BRIDGELUX SMD
- **0.2W BODY COLOR** - White/Black

SPECIFICATION

8W

WATT - 8W
 DIMENSION OUTER (MM) - 120mm
 DIMENSION CUTOUT (MM) - 100mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 720
 LED QUANTITY - 40

18W

WATT - 18W
 DIMENSION OUTER (MM) - 195mm
 DIMENSION CUTOUT (MM) - 175mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1620
 LED QUANTITY - 90

12W

WATT - 12W
 DIMENSION OUTER (MM) - 145mm
 DIMENSION CUTOUT (MM) - 125mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1080
 LED QUANTITY - 60

22W

WATT - 22W
 DIMENSION OUTER (MM) - 220mm
 DIMENSION CUTOUT (MM) - 200mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1980
 LED QUANTITY - 110

15W


WATT - 15W
 DIMENSION OUTER (MM) - 170mm
 DIMENSION CUTOUT (MM) - 150mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350
 LED QUANTITY - 75

30W

WATT - 30W
 DIMENSION OUTER (MM) - 300mm
 DIMENSION CUTOUT (MM) - 275mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 2400
 LED QUANTITY - 150

3in1 6500k - 4000k - 3000k


CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%





PC/PLASTIC PANEL

6500K4000K3000K



- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD
- 0.2W BODY COLOR - White

SPECIFICATION

6W

WATT - 6W
 DIMENSION OUTER (MM) - 120mm
 DIMENSION CUTOUT (MM) - 100mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 720
 LED QUANTITY - 50

12W

WATT - 12W
 DIMENSION OUTER (MM) - 145mm
 DIMENSION CUTOUT (MM) - 125mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1080
 LED QUANTITY - 110

15W

WATT - 15W
 DIMENSION OUTER (MM) - 170mm
 DIMENSION CUTOUT (MM) - 150mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1350
 LED QUANTITY - 130


18W

WATT - 18W
 DIMENSION OUTER (MM) - 170mm
 DIMENSION CUTOUT (MM) - 150mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1620
 LED QUANTITY - 150

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k to 100% - 10%

RIMLESS PANEL



- WARRANTY - 2 YEARS
- MATERIAL - PC/Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

6W

WATT - 6W
 DIMENSION OUTER (MM) - 95mm
 DIMENSION CUTOUT (MM) - 75mm
 COLOR TEMPERATURE - CW-6500K,NW - 4000K,WW
 3000K LUMENS - 540
 LED QUANTITY - 30

12W

WATT - 12W
 DIMENSION OUTER (MM) - 145mm
 DIMENSION CUTOUT (MM) - 125mm
 COLOR TEMPERATURE - 6500K,4000K,
 3000K LUMENS - 1080
 LED QUANTITY - 60

18W

WATT - 18W
 DIMENSION OUTER (MM) - 170mm
 DIMENSION CUTOUT (MM) - 150mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1620
 LED QUANTITY - 90

PROFILE PANEL



- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round/Square
- BEAMING ANGLE - 38°
- BODY COLOR - White

SPECIFICATION

15W


WATT - 15W
 HEIGHT(MM) - 160mm
 DIAMETER (MM) - 55mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1350



PF.9 PF.6

3in1 6500k - 4000k - 3000k

DEEP PANEL



PF.9 PF.6

SPECIFICATION

12W

WATT - 12W
 DIMENSION OUTER (MM) - 140mm
 DIMENSION CUTOUT (MM) - 120mm
 COLOR TEMPERATURE - 6500K, 5000k, 4000K,
 3000K LUMENS - 1080
 LED QUANTITY - 60

18W

WATT - 18W
 DIMENSION OUTER (MM) - 170mm
 DIMENSION CUTOUT (MM) - 145mm
 COLOR TEMPERATURE - 6500K, 5000k, 4000K,
 3000K LUMENS - 1620
 LED QUANTITY - 90

24W


WATT - 24W
 DIMENSION OUTER (MM) - 195mm
 DIMENSION CUTOUT (MM) - 170mm
 COLOR TEMPERATURE - 6500K, 5000k, 4000K,
 3000K LUMENS - 2160
 LED QUANTITY - 120

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

NEO DEEP

5000K-4000K-3000K



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD
- 0.2W BODY COLOR - White

SPECIFICATION

6W

WATT - 6W
 DIMENSION OUTER (MM) - 85mm
 DIMENSION CUTOUT (MM) - 75mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 5040
 LED QUANTITY - 30

12W


WATT - 12W
 DIMENSION OUTER (MM) - 105mm
 DIMENSION CUTOUT (MM) - 95mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1080
 LED QUANTITY - 60

18W

WATT - 18W
 DIMENSION OUTER (MM) - 135mm
 DIMENSION CUTOUT (MM) - 120mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1620
 LED QUANTITY - 90

- 3in1 6500k - 4000k - 3000k CCT Dimmable, Tuneable 6500k - 3000k to 100% - 10%

NEO DEEP REFLECTOR



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD
- 0.2W REFLECTOR COLOR - Gold/White/Black
- BODY COLOR - White

SPECIFICATION

6W

WATT - 6W
 DIMENSION OUTER (MM) - 85mm
 DIMENSION CUTOUT (MM) - 75mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 5040
 LED QUANTITY - 30

12W

WATT - 12W
 DIMENSION OUTER (MM) - 105mm
 DIMENSION CUTOUT (MM) - 95mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1080
 LED QUANTITY - 60

18W


WATT - 18W
 DIMENSION OUTER (MM) - 135mm
 DIMENSION CUTOUT (MM) - 120mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1620
 LED QUANTITY - 90

- 3in1 6500k - 4000k - 3000k CCT Dimmable, Tuneable 6500k - 3000k to 100% - 10%



SLIM SURFACE

6500K 5000K 4000K 3000K



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP - BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

8W

WATT - 8W
 DIMENSION OUTER (MM) - 120mm
 LENGTH (MM) - 30mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K, RED GREEN BLUE PINK
 LUMENS - 720
 LED QUANTITY - 40

15W

WATT - 15W
 DIMENSION OUTER (MM) - 170mm
 LENGTH (MM) - 30mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350
 LED QUANTITY - 75

22W

WATT - 22W
 DIMENSION OUTER (MM) - 220mm
 LENGTH (MM) - 30mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1980
 LED QUANTITY - 110

3in1 6500k - 4000k - 3000k

LED MOON PANEL LIGHT



- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round
- BEAMING ANGLE - 150°
- LED CHIP - BRIDGELUX SMD 0.2W
- BODY COLOR - White

SPECIFICATION

6W / 6+3

WATT - 6W
 DIMENSION OUTER (MM) - 65mm
 DIMENSION CUTOUT (MM) - 50mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 6+3 LUMENS - 480
 LED QUANTITY - 190

12W / 12+4

WATT - 12W
 DIMENSION OUTER (MM) - 120mm
 DIMENSION CUTOUT (MM) - 50-100
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 12+4 LUMENS - 1080
 LED QUANTITY - 140



18W

WATT - 18W
 DIMENSION OUTER (MM) - 150mm
 DIMENSION CUTOUT (MM) - 50-125
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K
 LUMENS - 1680
 LED QUANTITY - 120

3in1 6500k - 4000k - 3000k

FRAMELESS SURFACE

225



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD
- 0.2W BODY COLOR - White

SPECIFICATION

16W

WATT - 16W
 DIMENSION OUTER (MM) - 125mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1440
 LED QUANTITY - 80


24W

WATT - 24W
 DIMENSION OUTER (MM) - 175mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 2160
 LED QUANTITY - 150

36W

WATT - 36W
 DIMENSION OUTER (MM) - 225mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 3240
 LED QUANTITY - 240

MAX CYLINDER



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - Black

SPECIFICATION

8W

WATT - 8W
 DIMENSION OUTER (MM) - 70mm
 HEIGHT - 60mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 800
 LED QUANTITY - 50

15W


WATT - 15W
 DIMENSION OUTER (MM) - 90mm
 HEIGHT - 60mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1500
 LED QUANTITY - 80

22W

WATT - 22W
 DIMENSION OUTER (MM) - 120mm
 HEIGHT - 60mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 2200
 LED QUANTITY - 120

3in1 6500k - 4000k - 3000k

MOON SURFACE



SPECIFICATION

8W

WATT - 8W
 DIMENSION OUTER (MM) - 95mm
 HEIGHT (MM) - 40mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 720
 LED QUANTITY - 50


15W

WATT - 15W
 DIMENSION OUTER (MM) - 145mm
 HEIGHT (MM) - 40mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1350
 LED QUANTITY - 130

- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD 0.2W
- BODY COLOR - White

3in1 6500k - 4000k - 3000k

PC SURFACE



SPECIFICATION

8W

WATT - 8W
 DIMENSION OUTER (MM) - 95mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 720
 LED QUANTITY - 50

15W

WATT - 15W
 DIMENSION OUTER (MM) - 145mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1350
 LED QUANTITY - 130

- WARRANTY - 2 YEARS
- MATERIAL - Polycarbonate
- SHAPE - Round/Square
- BEAMING ANGLE - 120°
- LED CHIP- BRIDGELUX SMD
- 0.2W BODY COLOR - White

3in1 6500k - 4000k - 3000k

COB MOVABLE DOWNLIGHT



90-100 LWLW
 BIS DRIVE
 SKD SUPPLI
 2.5KV PROJECTI ON
 PF.9 PF.6



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Shinland
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black

SPECIFICATION

4W

WATT - 4W
 DIMENSION CUTOUT (MM) - 55mm
 LENGTH (MM) - 40mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 360

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 50mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 810

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 95mm
 LENGTH (MM) - 60mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350

24W


WATT - 24W
 DIMENSION CUTOUT (MM) - 125mm
 LENGTH (MM) - 70mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 2160

36W

WATT - 36W
 DIMENSION CUTOUT (MM) - 140mm
 LENGTH (MM) - 80mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 3240


3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%





DELTA DEEP COB



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black

SPECIFICATION

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 55mm
 LENGTH (MM) - 60mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 360

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 80mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1080


22W

WATT - 22W
 DIMENSION CUTOUT (MM) - 85mm
 LENGTH (MM) - 100mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1620

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

DELTA DEEP COB WITH REFLECTOR



SPECIFICATION

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 55mm
 LENGTH (MM) - 60mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 720

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 80mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K LUMENS - 1350



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black
- REFLECTOR COLOR - Rose Gold, Black, Chrome

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%



STELLA DEEP COB



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black

SPECIFICATION

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 55mm
 LENGTH (MM) - 80mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 360

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 90mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1080


20W

WATT - 22W
 DIMENSION CUTOUT (MM) - 85mm
 LENGTH (MM) - 100mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1800

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

AMOR DEEP COB



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black
- REFLECTOR COLOR - ROSE GOLD/BLACK

SPECIFICATION

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 65mm
 DIMENSION OUTER (MM) - 70mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 720

15W



WATT - 15W
 WATT - 20W
 DIMENSION CUTOUT (MM) - 80mm
 DIMENSION CUTOUT (MM) - 90mm
 DIMENSION OUTER (MM) - 85mm
 DIMENSION OUTER (MM) - 95mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350
 LUMENS - 1980

20W

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k to 100% - 10%

NEO COB



90-100 LW/W
 BIS DRIVE
 SKD SUPPLI
 2.5KV PROECTI ON
 PF.9 PF.6

SPECIFICATION

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - Black
- REFLECTOR COLOR - Black, Rose Gold

8W

WATT - 8W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 50mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 720

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 85mm
 LENGTH (MM) - 60mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350


20W

WATT - 20W
 DIMENSION CUTOUT (MM) - 105mm
 LENGTH (MM) - 70mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1080

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

COB ZOOM LIGHT



SPECIFICATION

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 90mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350

30W

WATT - 30W
 DIMENSION CUTOUT (MM) - 120mm
 LENGTH (MM) - 135mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 2700

90-100 LW/W
 BIS DRIVE R
 SKD SUPPLI ER
 2.5KV PROECTI ON

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

CYLINDER COB




- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - White/Black
- REFLECTOR COLOR - ROSE GOLD/BLACK

SPECIFICATION

8W	15W	22W
WATT - 8W	WATT - 15W	WATT - 22W
DIAMETER (MM) - 50mm	DIAMETER (MM) - 75mm	DIAMETER (MM) - 100mm
LENGTH (MM) - 100mm	LENGTH (MM) - 125mm	LENGTH (MM) - 150mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K	COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K	COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 120	LUMENS - 1350	LUMENS - 2160

3in1 6500k - 4000k - 3000k

AMOR COB CYLINDER



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 36°
- BODY COLOR - BLACK
- REFLECTOR COLOR - Black, Rose Gold

SPECIFICATION

8W	15W	20W
WATT - 8W	WATT - 15W	WATT - 20W
DIAMETER OUTER (MM) - 60mm	DIAMETER OUTER (MM) - 75mm	DIAMETER OUTER (MM) - 85mm
HEIGHT (MM) - 65mm	HEIGHT (MM) - 80mm	HEIGHT (MM) - 90mm
COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K	COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K	COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
LUMENS - 720	LUMENS - 1350	LUMENS - 1980

3in1 6500k - 4000k - 3000k

CUBA ADJUSTABLE CYLINDER



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Aluminium
- **SHAPE** - Round
- **BEAMING ANGLE** - 38°
- **BODY COLOR** - White

SPECIFICATION

15W

WATT - 15W
 HEIGHT (MM) - 160mm
 DIAMETER (MM) - 55mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350

90-100 LW/W	BIS DRIVE R	SKD SUPPLI ER	2.5KV PROECTI ON
	PF.9 PF.6		

3in1 6500k - 4000k - 3000k

POP OUT TRACK LIGHT



- **WARRANTY** - 2 YEARS
- **MATERIAL** - Aluminium
- **SHAPE** - Round
- **BEAMING ANGLE** - 38°
- **BODY COLOR** - White

SPECIFICATION

15W

WATT - 15W
 DIMENSION CUTOUT (MM) - 75mm
 LENGTH (MM) - 90mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350

30W



WATT - 30W
 DIMENSION CUTOUT (MM) - 115mm
 LENGTH (MM) - 135mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 2700

90-100 LW/W	BIS DRIVE R	SKD SUPPLI ER	2.5KV PROECTI ON
----------------	-------------------	---------------------	------------------------

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k AND 100% - 10%

COB TRACK LIGHT



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - Black / White

90-100 LWW	BIS DRIVE	SKD SUPPLI	2.5KV PROTECTI ON
PF.9 PF.6			

SPECIFICATION

12W

WATT - 12W
 DIMENSION OUTER (MM) - 50mm
 LENGTH (MM) - 100mm
 LUMENS - 1080

24W

WATT - 24W
 DIMENSION OUTER (MM) - 60mm
 LENGTH (MM) - 135mm
 LUMENS - 2160

36W


WATT - 36W
 DIMENSION OUTER (MM) - 80mm
 LENGTH (MM) - 150mm
 LUMENS - 3240

48W

WATT - 45W
 DIMENSION OUTER (MM) - 90mm
 LENGTH (MM) - 180mm
 LUMENS - 3240

3in1 6500k - 4000k - 3000k

COB WALL LIGHT



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- BEAMING ANGLE - 38°
- BODY COLOR - Black / White

SPECIFICATION

12W

WATT - 12W
 DIMENSION OUTER (MM) - 50mm
 LENGTH (MM) - 100mm
 LUMENS - 1080

24W

WATT - 24W
 DIMENSION OUTER (MM) - 60mm
 LENGTH (MM) - 135mm
 LUMENS - 2160

36W



WATT - 36W
 DIMENSION OUTER (MM) - 80mm
 LENGTH (MM) - 150mm
 LUMENS - 3240

48W

WATT - 45W
 DIMENSION OUTER (MM) - 90mm
 LENGTH (MM) - 180mm
 LUMENS - 3240

3in1 6500k - 4000k - 3000k

EVO TRACK LIGHT



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Rectangle
- BEAMING ANGLE - 90°
- BODY COLOR - Black / White

SPECIFICATION

10W

WATT - 10W
 LENGTH (MM) - 210mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 900

20W


WATT - 20W
 LENGTH (MM) - 350mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1800

30W

WATT - 30W
 LENGTH (MM) - 480mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 2700

3in1 6500k - 4000k - 3000k

NUVO TRACK LIGHT



- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Rectangle
- BEAMING ANGLE - 36°
- BODY COLOR - Black / White

SPECIFICATION

10W

WATT - 10W
 LENGTH (MM) - 210mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 900

20W

WATT - 20W
 LENGTH (MM) - 350mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 1800

30W

WATT - 30W
 LENGTH (MM) - 480mm
 COLOR TEMPERATURE - 6500K, 4000K,
 3000K LUMENS - 2700

3in1 6500k - 4000k - 3000k

AROS BEAMING TRACK LIGHT



SPECIFICATION

15W

WATT - 15W
 DIMANTION(MM) - 55mm
 LENGHT (MM) - 155mm
 COLOR TEMPERATURE - 6500K, 5000K, 4000K, 3000K
 LUMENS - 1350

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE -
- BEAMING ANGLE - 15° to 60°
- BODY COLOR - White / Black

90-100 LW/W	BIS DRIVE R	SKD SUPPLI ER	2.5KV PROECTI ON
	PF.9 PF.6		

3in1 6500k - 4000k - 3000k

MAGIC LINEAR



SPECIFICATION

12W

WATT - 12W
 TYPE - SURFACE / CONCEAL
 DIMENSION CUTOUT (MM) - 75 MM OUTER
 COLOR TEMPERATURE - 6500K, 4000K, 3000K
 LUMENS - 1080

90-100 LW/W	BIS DRIVE R	SKD SUPPLI ER	2.5KV PROECTI ON
	PF.9 PF.6		

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- SHAPE - Round
- REFLECTOR - Black/Rosegold
- BODY COLOR - White/Black
- COB CHIP - SANON LED 2W

LUMO LINEAR BLADE



90-100 LWW	BIS DRIVE	SKD SUPPLI	2.5KV PROJECT ON
---------------	--------------	---------------	------------------------

PF.9 PF.6

- WARRANTY - 2 YEARS
- MATERIAL - Aluminium
- TYPE - Conceal
- SHAPE - Rectangle
- REFLECTOR -
- Black/Rosegold BODY
- COLOR - White/Black

SPECIFICATION

2W/1T

WATT - 2W
 DIMENSION CUTOUT (MM) - 45 * 45mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 LUMENS - 180

4W/2T

WATT - 4W
 DIMENSION CUTOUT (MM) - 60 * 45 MMmm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 LUMENS - 360

6W/3T

WATT - 6W
 DIMENSION CUTOUT (MM) - 90 * 45mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 LUMENS - 540

10W/5T






WATT - 10W
 DIMENSION CUTOUT (MM) - 150 * 45mm
 COLOR TEMPERATURE - 6500K, 4000K, 3000K,
 LUMENS - 900

















20W/10T
















WATT - 20W
 DIMENSION CUTOUT (MM) - 300 * 45
 MMmm COLOR TEMPERATURE - 6500K,
 4000K, 3000K LUMENS - 1800

3in1 6500k - 4000k - 3000k

CCT Dimmable, Tuneable 6500k - 3000k to 100% - 10%



 <p>SLIM PANEL <input type="checkbox"/></p>	 <p>PC/PLASTIC PANEL <input type="checkbox"/></p>	 <p>RIMLESS PANEL <input type="checkbox"/></p>	 <p>PROFILE PANEL <input type="checkbox"/></p>
 <p>DEEP PANEL <input type="checkbox"/></p>	 <p>NEO DEEP <input type="checkbox"/></p>	 <p>NEO DEEP WITH REFLECTOR <input type="checkbox"/></p>	 <p>SLIM SURFACE <input type="checkbox"/></p>
 <p>LED MOON PANEL LIGHT <input type="checkbox"/></p>	 <p>FRAMELESS SURFACE <input type="checkbox"/></p>	 <p>MAX CYLINDER <input type="checkbox"/></p>	 <p>MOON SURFACE <input type="checkbox"/></p>
 <p>PC SURFACE <input type="checkbox"/></p>	 <p>COB MOVABLE DOWNLIGHT <input type="checkbox"/></p>	 <p>DELTA DEEP COB <input type="checkbox"/></p>	 <p>DELTA DEEP COB WITH REFLECTOR <input type="checkbox"/></p>

 <p>STELLA DEEP COB <input type="checkbox"/></p>	 <p>AMORE DEEP COB <input type="checkbox"/></p>	 <p>NEO COB <input type="checkbox"/></p>	 <p>COB ZOOM LIGHT <input type="checkbox"/></p>
 <p>CYLINDER COB <input type="checkbox"/></p>	 <p>AMOR COB CYLINDER <input type="checkbox"/></p>	 <p>CUBA ADJUSTABLE CYLINDER <input type="checkbox"/></p>	 <p>POP OUT LIGHT <input type="checkbox"/></p>
 <p>COB TRACK LIGHT <input type="checkbox"/></p>	 <p>COB WALL LIGHT <input type="checkbox"/></p>	 <p>EVO TRACK LIGHT <input type="checkbox"/></p>	 <p>NUVO TRACK LIGHT <input type="checkbox"/></p>
 <p>AROS BEAMING TRACK LIGHT <input type="checkbox"/></p>	 <p>MAGIC LIGHT <input type="checkbox"/></p>	 <p>LUMO LINEAR BLADE <input type="checkbox"/></p>	



Contact Details

Rahil Desai : 8200208625 | 9998762783

Studio : 606, 6th Floor, Shilp Zaveri, Above Westside, Shyamal Cross Road, Ahmedabad, Gujarat - 380015

Office : 43, Upper level, Shri Krishna Complex, behind HDFC Bank, Gandhi Road, Ahmedabad, Gujarat - 380001

